



KR.HSE.ENV.05. HSSE.HECCR/01/2026/EC No. 11-31/2015-1A.III

30.06.2026

To

The Additional Principal Chief Conservator of Forests (C)
Ministry of Environment, Forest & Climate Change
4th Floor, E&F Wings, Kendriya sadan, Koramangala, Bangalore-560 003

Dear Sir,

Sub: Submission of Project documents and half yearly compliance report - Environmental Clearance issued by the Ministry of Environment, Forests and Climate Change (MoEF & CC)

Ref: EC No: 11-31/2015-1A.III, dated:19.05.2023, granting environmental clearance for the Project extension of 20" pipeline from North Jetty Reclamation pit (NJRP) to Cochin Oil Terminal (COT) & North Tanker Berth (NTB), along with associated facilities at Cochin Port Trust jetty area".

Please find the enclosed the project documents and compliance report on the various conditions laid down by MoEF &CC, pertaining to the half year period from **1st October 2025 to 31st March 2026** for the Project mentioned in above reference.

Thanking you

Very truly yours

For BPCL Kochi Refinery

Suresh K S

Dy. General Manager (HSE - Environment)

Encl: 1. Six Monthly Compliance Report

CC:

1. The Member Secretary
Central Pollution Control Board
Parivesh Bhawan
East Arjun Nagar
Delhi - 110 032

2. The Member Secretary
Kerala State Pollution Control Board
Plamoodu Junction
Pattom Palace
Thiruvananthapuram - 695 004

पोस्ट बैग नं: 2, अम्बलमुगल - 682 302, एरणाकुलम जिला, केरल, दूरभाष: 0484 - 2722061 - 69 फैक्स: 0484 - 2720961 / 2721094
पंजीकृत कार्यालय: भारत भवन, 4 & 6, करीमभाय रोड, बेलार्ड इस्टेट, पी. बी. नं. 688 मुंबई - 400 001

Compliance Status for MoEF CRZ Clearance for "Extending 20" pipe line at Cochin Port Authority Jetty area" F.No.11-31/2015-IA.I dated 19th May, 2023

1st October 2025 to 31st March 2026

PART A - SPECIFIC CONDITIONS

Sl. No.	Description	Compliance Status as on 31.03.2026
1	All construction shall be strictly in accordance with the provisions of the CRZ Notification, 2011, as amended from time to time.	Complied. The construction activities for the project were completed in accordance with the provisions of the Coastal Regulation Zone (CRZ) Notification, 2011, as amended from time to time, and the conditions stipulated in the CRZ Clearance. All prescribed environmental safeguards were implemented during project execution.
2	The prior approval from PESO should be obtained before commencement of the extended pipeline project.	Complied-Prior approval obtained from PESO before commencement of the project.
3	The pipeline as committed in CRZ area should be laid through Horizontal Directional Drilling (HDD) method.	Complied. The pipeline within the CRZ area was laid using the Horizontal Directional Drilling (HDD) method, in accordance with the commitment made in the CRZ application and the conditions stipulated in the CRZ Clearance.
4	Any temporary physical infrastructure setup and excavated material during laying of pipelines shall not be dumped in water bodies or adjacent areas and the site shall be restored to its original condition after completion of construction of work.	Complied. Temporary infrastructure and excavated material generated during pipeline laying were managed appropriately and were not disposed of in water bodies or adjoining areas. After completion of the work, all temporary facilities were removed, and the site was restored to its original condition.
5	No storage reservoir for sea water shall be permitted and only pipelines conveyance system shall be installed.	Complied. No seawater storage reservoir has been constructed. Seawater is conveyed only through the approved pipeline conveyance system, in compliance with the CRZ Clearance conditions.
6	No groundwater shall be extracted within the CRZ area to meet the water requirements during the construction and/or operation phase of the project.	Complied - No ground water extracted within CRZ area during construction and operation.
7	Permanent labor camp, machinery and material storage shall not be set up in the CRZ area.	Complied. No permanent labor camps, machinery, or material storage facilities were established within the CRZ area. Temporary construction facilities, wherever required, were located outside the CRZ area and removed after completion of the project.



8	All the conditions stipulated by the Kerala Coastal Zone Management Authority for CRZ clearance 2019 <i>vide</i> its Letter No. 402/A1/2022/KCZMA dated 03/09/2022, 27/01/2023 and commitments made by the PP before the KCZMA and EAC shall be followed in letter and spirit.	Complied-All conditions stipulated by KCZMA and commitments made before authorities have been adhered to.
9	All necessary clearance from the concerned authority, as may be applicable should be obtained prior to commencement of project or activity.	Complied. All applicable statutory clearances, approvals, and permissions from the concerned authorities were obtained prior to commencement of the project, and the project was executed in accordance with the stipulated conditions.
10	All other terms and conditions stipulated in the CRZ Clearance issued <i>vide</i> letter No.11-31/2015-AI-III dated 12/02/2016 shall remain unchanged.	Noted -All terms and conditions of CRZ clearance are adhered to without any changes.
11	Management of solid waste in accordance with the Solid Waste Management Rules, 2016 shall be strictly implemented.	Complied. Solid waste generated from the project is managed in accordance with the provisions of the Solid Waste Management Rules, 2016


PART B - GENERAL CONDITIONS

1	'Consent to Establish' and /or 'Consent to Operate' shall be obtained from State Pollution Control Board under the provisions of Air (Prevention and Control of Pollution) Act, 1981 and / or the Water (Prevention and Control of Pollution) Act, 1974, as may be applicable.	Complied - Consent to Establish/Operate obtained from SPCB as applicable
2	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of Competent Authority.	Complied. Muck generated during the construction phase was managed and disposed of only at approved locations with the approval of the competent authority. Necessary precautions were taken to prevent any adverse impact on neighboring communities and to ensure public safety and health.
3	All liquid waste arising from the proposed development will be disposed of as per the norms prescribed by Central / State Pollution Control Board. There shall not be any disposal of untreated effluent into the sea / coastal water bodies. It shall be ensured that the	All liquid waste arising from the proposed development will be disposed of as per the norms prescribed by Central / State Pollution Control Board. There shall not be any disposal of untreated effluent into the sea / coastal water bodies. It shall be ensured that the wastewater generated is treated in the STP as committed by

	wastewater generated is treated in the STP as committed by the project proponent. The treated wastewater shall be reused for landscaping, flushing and / or HVAC cooling purposes etc. within the development. The project proponent should also make alternate arrangement for situation arising due to malfunctioning of STP. There shall be regular monitoring of standard parameters of the effluent discharge from STP under intimation to the SPCB.	the project proponent. The wastewater treated shall be reused for landscaping, flushing and / or HVAC cooling purposes etc. within the development. The project proponent should also make alternate arrangements for situation arising due to malfunctioning of STP. There shall be regular monitoring of standard parameters of the effluent discharge from STP under intimation to the SPCB.
4	Any hazardous waste generated during construction phase, shall be disposed-off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.	Not applicable. No hazardous waste generated during construction and operation (Pipeline Project).
5	A copy of the clearance letter shall be uploaded on the website of the concerned State Coastal Zone Management Authority/State Pollution Control Board. The Clearance letter shall also be displayed at the Regional Office, District Industries Centre, and Collector's Office / Tehsildar's office for 30 days.	Complied – Clearance letter uploaded and displayed at designated offices.
6	A six-month monitoring report shall need to be submitted by the project proponent to the concerned Regional Office of this Ministry regarding the implementation of the stipulated conditions.	Complied – Six (6) month monitoring reports submitted to MoEFCC regional Office.
7	The Ministry of Environment, Forest & Climate Change or any other Competent Authority may stipulate any additional conditions or modify the existing ones, if necessary, in the interest of environment and the same shall be complied with.	Complied. Any additional conditions or modifications stipulated by the Ministry of Environment, Forest and Climate Change (MoEF&CC) or any other competent authority are complied with, and the necessary environmental protection measures are implemented, wherever applicable.
8	Full co-operation shall be extended to the officials from the Regional Office of MoEF&CC, during monitoring of implementation of environmental safeguards stipulated. It shall be ensured that documents / data sought pertinent is made available to the monitoring team. A complete set of all the documents submitted to MoEF&CC shall be	Noted

	forwarded to the concerned Regional Office of MoEF&CC.	
9	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Ministry.	There is no change in scope of the project.
10	The Ministry reserves the right to add additional safeguard measures subsequently, if considered necessary, and to take action to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner, including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, for non-compliance.	Noted and will be complied as applicable
11	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponent from the respective Competent Authorities.	Complied – All required statutory approvals obtained from competent authorities.
12	The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded CRZ Clearance and copies of clearance letters are available with the State Pollution Control Board (SPCB) and may also be seen on the website of the Ministry of Environment, Forest and Climate Change at https://parivesh.nic.in . The advertisement should be made within Seven days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to the concerned Regional Office of this Ministry.	Complied

13	A copy of the clearance letter shall be sent by the proponent to the concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban Local Body, and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Not applicable
14	The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the project proponent along with the status of compliance of clearance conditions and shall also be sent to the respective Regional Office of the Ministry by e-mail.	Noted & Complied – Environmental Statement (Form-V) is submitted annually to SPCB, Including details of the 20-inch pipeline facilities



30.06.2026